




SITEGUARD



0300 113 6232 | sales@siteguardltd.com | www.siteguardltd.com



SiteGuard SG1

KEY FEATURES

- Powered by built-in battery with Solar technology
- 4 x MotionCam Outdoor detectors to each side provides full 360° coverage
- Detection range 3-15 meters
- 2 x 113db Sounders, sound on activation or remotely activated
- Remote Management & Alert Notification via App (*iOS & Android*)
- Global roaming sim card for hub connectivity, 24/7 monitoring by NSI Gold accredited ARC
- Scenarios for auto Arm/Disarm in line with operating hours
- Anti-tamper & anti-masking technology (*will alert when system is both armed & disarmed*)
- Alert verification with high quality images on activation, along with Photo-on-Demand feature
- Easily re-located between sites
- Ability to manage multiple secondary units & other AJAX devices

TOWER INCLUDES:

- 12v Solar Panel with Charge Controller
- Secure IP enclosure for Charge Controller & AJAX Hub
- Laser cut & threaded mountings for all AJAX Devices
- Securing screws for all AJAX Devices
- Wiring loom for battery connection
- External charge connector
- 2 x Sturdy Anti-Vibration Feet
- Galvanised Steel Body & Base
- 2 x Removable Travel Feet (*standard*)





DIMENSIONS

- Height: 1380mm
- Base Width: 680mm
(inc. feet)
- Weight: 37-70kg
(Dependent on battery used)

INDUSTRIES



Construction Sites



Plant & Machinery



Agricultural



Storage Locations



Vacant Premises



Logistics & Warehousing

AJAX
< READY >



RECOMMENDED AJAX KIT

- AJAX Hub2 4G
- 12-24v PSU for Hub2/Hub2 Plus/ReX2
- Dry contact AJAX Relay to control 12-24v
(allows monitoring of voltage)
- 4 x AJAX MotionCam Outdoor;
we suggest installing PhOD devices to ensure
full functionality in the event of alert scenarios
- AJAX DoorProtect Plus
- 2 x AJAX StreetSiren





0300 113 6232
sales@siteguardltd.com
www.siteguardltd.com

